



macchine per caffè espresso & cappuccino

LIRA

espresso coffee & cappuccino machines



coffee

machines

made in Italy

Macchine per caffè espresso 1-2-3-4 gruppi - erogazione manuale/ elettronica programmabile - display

Espresso coffee machines 1-2-3-4 groups - semiautomatic/ automatic programmable - display

Kaffeemaschine 1-2-3-4 Gruppen - Halbautomatisch/ Elektronisch programmierbar - display

Machine à café espresso 1-2-3-4 groupes - à débit manuel/ électronique programmable - display

Maquinas de café 1-2-3-4 grupos - erogación manual/ electrónica programable - display

Modelli - Models - Modèles - Modell - Modelos

- Semi-automatica pulsante
- Semi-automatic switch model
- Semi-automatique a commutateur
- Halbautomatisch mit Drucktasten.
- Semi-automatico a pulsador.

- Semi-automatica a levetta
- Semi-automatic manual lever model
- Semi-automatique group à manette
- Halbautomatisch mit Hebel.
- Semi-automatico a erogacion manual accionada por palanca

- Modello elettronico a tastiera programmabile. Design esclusivo. Acqua calda automatica. 5 dosi + tè - display conteggio caffè

- Automatic programmable dosing model by keyboard. Exclusive design. Automatic hot water spout. 5 doses+ tea - display coffee counter system

- kaffeemaschine elektronisch programmierbar mit Drucktasten. Exklusiv design. Automatische heisswassergeber. 5 portion + tee - display abrechnungssystem des kaffees

- Modèle électronique avec dosage programmable a clavier. Modèle exclusif. Lance eau chaude automatique. 5 doses + thé - display pour comptabilisation cafés

- Modelo automatico con dosificación electrónica programable desde la botonera. Diseño exclusivo. Agua caliente automática. 5 doses + tè - display contacafé electrónico



1 gruppo , 1 group , 1 groupe, 1 gruppen, 1 grupo
caldaia in rame, copper inner boiler, chaudière en cuivre, Interner Kassel aus Kupfer, caldera de cobre
4 litri (2 Kw) - 7 litri (2,6 Kw)

2 gruppi, 2 groups, 2 groupes, 2 gruppen, 2 grupos COMPACT
caldaia in rame, copper inner boiler, chaudière en cuivre, Interner Kassel aus Kupfer, caldera de cobre
6 litri (2,5 Kw) - 8 litri (2,6 Kw)

2 gruppi, 2 groups, 2 groupes, 2 gruppen, 2 grupos
caldaia in rame, copper inner boiler, chaudière en cuivre, Interner Kassel aus Kupfer, caldera de cobre
11 litri (3 Kw) - 14 litri (3,5 Kw)

3 gruppi, 3 groups, 3 groupes, 3 gruppen, 3 grupos
caldaia in rame, copper inner boiler, chaudière en cuivre, Interner Kassel aus Kupfer, caldera de cobre
14 litri (4 Kw) - 21 litri (4,5 Kw)

4 gruppi, 4 groups, 4 groupes, 4 gruppen, 4 grupos
caldaia in rame, copper inner boiler, chaudière en cuivre, Interner Kassel aus Kupfer, caldera de cobre
27 litri (5,5 Kw)


OPTIONAL:

- | | | |
|-------------------------|-----------------------------|---|
| • Cappuccinatore | • Scald tazze elettrico | • Automatico sonda vapore (per schiumatura del latte) |
| • Cappuccino maker | • Electrical cup/warmer | • Auto probe steamer (for milk cream) |
| • Cappuccino Schäumer | • Elektrische Tassenwärmer | • Vapeur automatique de sonde (pour crème de lait) |
| • Milker | • Chauffe-tasses électrique | • Automatischer prüfspitze dampf (für milch-creme) |
| • Capuchinador | • Calientatazas electrico | • Vapor automático de la punta de prueba (por crema de la leche) |
| • Addolcitore acqua | • Gruppi alti | • Accensione e spegnimento automatico (solo modello elettronico) |
| • Water softener | • High groups | • Automatic turning on/off (only programmable dosing model) |
| • Entkalker Ausgerüstet | • Höhere brügruppe | • Marche/arrêt de la machine a café (Seulement modèle de dosage programmable) |
| • Adoucisseur | • Haut groupes | • Automatisches an/aus betriebe (nur programmierbares dosieren- des Modell) |
| • Depurador | • Grupos alto | • Operaciones con./desc. automáticas (solamente modelo de dosificación programable) |

LIRA



BFC S.r.l. via Martini Delle Foibe, 26
31020 Scornigo di Conegliano TV ITALY
tel. +39 0438 394979 fax +39 0438 394587
e-mail: info@bfcsrl.it www.bfcsrl.it



Caldia in rame a circuito termosifonico-tubature in rame

- Copper inner boiler continuous heat circulation-pipes made in copper • Interner Kassel aus Kupfer, Heißwasserheizung-röhren aus kupfer
- Chaudière en cuivre, circulation par thermosiphon-tuyaturie en cuivre
- Caldera a circulación termosifonica-tuberias de cobre

2 Lancia Vapore, acciaio inox

- 2 Steamspout, steel • 2 Dampfgeber, Sthl • 2 Lance vapeur, acier • 2 Grifo de vapor, acero inox

1 Lancia Acqua

- 1 Hot water spout • 1 Heisswassergeber • 1 lance eau chaude • 1 Grifo de agua

Motopompa incorporata o esterna


- Motor pump in side or external • Motor pumpe • Motopompe incorporée externe • Motobomba incorporada

Autolivello automatico


- Automatic boiler water level control • Wassetstandausgleich im kessel • Contrôle automatique du niveau de l'eau
- Autonivel electronico de entrada agua

Gruppi termocompensati


- Heat-balancing units • Temperatenausgleichsgruppen • Groupes thermocompensés
- Grupo profesional hidraulico con circulación termosifonica





Boiler: lt.14 / lt.14 - 2gr.




Boiler: lt.6 / lt.8 - 2gr. compatta



Boiler: lt.4 / lt.7 - 1gr.



Boiler: lt.14 / lt.21 - 3 gr.



Boiler: lt.27 - 4 gr.

GRUPPI / GROUPS / GRUPPEN / GROUPES / GRUPOS	1 (4 lt.)	1 (7 lt.)	2 comp. (6 lt.)	2 comp. (8 lt.)	2 (11 lt.)	2 (14 lt.)	3 (14 lt.)	3 (21 lt.)	4
•Peso kg/Ibs • Net weight • Nettogewicht • Poids net • Peso	35/77	40/88	48/105	52/114	65/142	70/154	75/164	85/185	100/220
•Caldia lt./US GAL • Boiler • Kassel • Chaudière • Caldera	4/1,1	7/1,85	6/1,59	8/2,12	11/2,91	14/3,7	14/3,7	21/5,5	27/7,1
•Kw	2,0	2,6	2,5	2,6	3,0	3,5	4,0	4,5	5,5
•Volt	110/230/240/400								
•Portafiltri • Filter holders • Filter Träger • Porte-filtre • Portafiltro	2	2	3	3	3	3	4	4	5

LIRA



Rosso - Red - Rouge - Rot - Rojo
 Giallo - Yellow - Jaune - Gelb - Amarillo
 Grigio - Gray - Gris - Grau - Gris
 Nero - Black - Noir - Schwarz - Negro

Cromo - Chrome - Chrome - Chrom - Cromo





LIRA

1 gr. levetta



1 gr. elettronica



2 gr. compatta pulsante





LIRA

2 gr. levetta



2 gr. elettronica display



LIRA



3 gr. pulsante



3 gr. elettronica display